





## **MULTI-ACTIVE BIOSTIMULANT**

HUMICRAFT<sup>®</sup> Liquid is an organic, liquid fertilizer based on potassium humate (activated humic acids), algae extract and amino acids. The potassium humates in HUMICRAFT® Liquid stimulate root growth and nutrient uptake. The algae extract (Ascophyllum nodosum) promotes rapid development of plant tissue.

Amino acids are taken up by the roots and are readily available building blocks for protein biosynthesis inside the plant. This saves energy for the plant, which it can utilise in other metabolic processes such as yield formation and abiotic stress compensation. In addition, plant amino acids serve as a nitrogen source.

HUMICRAFT<sup>®</sup> Liquid can be applied using fertigation, hydroponic and sprinkler systems as well as conventional foliar sprays.

## RECOMMENDED BENEFITS & A P P L I C A T I O N

- Stimulates plant growth, increases yield and improves the quality of the plant
- Facilitates the plant's energy balance
- Increases and stimulates the population of beneficial microorganisms and activates soil life
- Reduces the residues of herbicides and toxic substances in soils

## FIELDS OF APPLICATION

- Increases the tolerance of plants to abiotic stress (drought, heat, cold, salt)
- Increases the effectiveness of fertilizers and reduces nutrient leaching, especially nitrates
- Increases seed germination and encourages root development
- Strengthens root development and increases yield

## **RECOMMENDED APPLICATION RATES\***

<ul> <li>Agriculture</li> <li>Vegetable Production</li> <li>Fruit Production</li> <li>Substrate Cultivation</li> <li>Hydroponics</li> <li>Turf and Landscaping</li> <li>Seed Treatment</li> </ul>	Soil		20 – 30 L/ha for abiotic stress (salt stress, drought stress, cold stress, etc.) divided into several doses (3 – 4 L/ha)	
	Foliar	0.3 L/	0.3 L/100 L water every two weeks during the vegetation period	
	Substrates	2 L/m	2 L/m <sup>3</sup>	
	Seed Treatm	nont	0.3 % or 300 mL/100 kg seeds as dressing according to thousand grain weight (T.G.W.)	
	Hydroponic	C	20 – 30 ml/1000 L nutrient solution during the cultivation cycle	
	* These are standard recommendations that can vary according to soil properties, cultivated crop and local system conditions.			
<b>INHERENT COMPOSITION</b> (Typical values based on Fresh Mat		n Fresh Matter)	STORAGE	
Amino Acids 10 %	Potassium (K <sub>2</sub> O)	2 %	STORAGE Store in a dry place, protected from frost, heat and direct sunlight. STORE OUT OF THE REACH OF CHILDREN	
Algea Extract (Ascophyllum nodosum) 10 %	Dry Matter	30 - 32 %		
Potassium Humate 10 %	Organic Substance	27 %		

8,5 - 9,5

1 - 2%

1,2 kg/L





INTERNATIONAL

JBSTANCES



IVG

100

German technology Administration & Distribution: HUMINTECH GMBH

pH – value

**Bulk Density** 

Total Nitrogen (N)

8 %

7%

1 %

<sup>1</sup> according to ISO 19822 | HPTA | AAPFCO | IHSS Analysis method

<sup>2</sup> according to CDFA 8 % | Colorimetric method 27 %



Total Humic Acids 1/2

Humic Acid

Fulvic Acid<sup>1</sup>

Am Pösenberg 9 – 13 • 41517 Grevenbroich / Germany • E-Mail: info@humintech.com • Internet: www.humintech.com

1974 - 2019